
OCEMULITE®



OCEAN LITE®

ĐẶC TÍNH SẢN PHẨM

- Lắp đặt đơn giản
- Khả năng chịu tác động ngoại lực cao
- Độ trong suốt cao, độ truyền sáng tốt
- Chịu được thời tiết
- Khả năng chịu nhiệt tốt (từ -40°C đến 135°C)
- Trọng lượng nhẹ
- Khả năng sử dụng như vật liệu nhẹ
- Tuổi thọ sản phẩm lên đến 10 năm
- Thời gian bảo hành từ 5 đến 10 năm tùy theo lớp phủ chống tia cực tím
- Nhiều lựa chọn đa dạng về màu sắc kích cỡ và kết cấu
- Khả năng nâng đỡ cấu trúc tốt
- Dễ uốn, tạo hình
- Tính thẩm mỹ cao




SPACE OF THE FUTURE




PRODUCT PROPERTIES


- Simple installation.
- Extreme break reistance and hightest impact strength.
- Excellent light transparency
 excellent light transmission.
- Superior resistance to weathering.
- Extreme temperatures (from -40°C to 135°C).
- Low inherent weight.
- Possibillity of using as a light weight materials.
- The life of products could be 10 years.
- Warranty from 5 to 10 years depend on the thickness of anti UV protection layers.
- Multi choices of different colors, size and textures.
- Supporting structures.
- Ease of forming.
- High aesthetic.



OS01 - CLEAR - TRẮNG TRONG




OS02 - BLUE - XANH HỔ




OS03 - BROWN - NÂU TRÀ



OS04 - OPAL - TRẮNG SỮA



OS05 - DARK BLUE - XANH TÍM



OS06 - GREEN- XANH LÁ







OS11 - CLEAR SOLID - TRẮNG TRONG



OS12 - BLUE SOLID - XANH DUONG



OS13 - BROWN SOLID - NÂU TRÀ



OS14 - OPAL SOLID - TRẮNG SỮA



OS15 - GRAY BLUE SOLID - XÁM XANH




OS16 - GREEN SOLID - XANH LÁ






OCEAN LITE®

SPACE OF THE FUTURE









TÔN 11 SÓNG





TÔN SÓNG TRÒN

Ţ
~~~



# OCEAN LITE®

#### SPACE OF THE FUTURE









